

Flexibilité Solution – Shipping Business Service Offer

Colissimo Franking Web Service

Appendix: Printing delivery slips

Technical document – Version of April 2022 Appendix for Colissimo Franking Web Service specifications

I.	Intr	roduction	3
I.	1	Purpose of the document	3
I.	2	Access	3
II.	Prir	nting using a list of parcel numbers: "generateBordereauByParcelsNumbers"	4
II	. 1	Input parameters	4
II	. 2	Response	4
II	. 3	Examples	5
III.	R	e-printing using a delivery slip number: "getBordereauByNumber"	6
II	I. 1	Input parameters	6
II	I. 2	Response	7
II	I. 3	Examples	7
IV.	D	escription of the delivery slip	9
۷.	Cor	ntact1	1

I. Introduction I. 1 Purpose of the document

This document is an appendix to the technical document on the Franking Web Service which deals with printing delivery slips.

The delivery slip is only mandatory for destinations requiring a CN 23 customs declaration.

Customers have several options for editing this document:

- Via their own means based on the model provided in this document.
- Via the Back-Office, if the option was requested from your sales representative (only for certain products).
- Via the Web Service operations described in this document:

Operation	Description
generateBordereauByParcelsNumbers	Generate a delivery slip using a list of parcel
	numbers
getBordereauByNumber	Re-print a delivery slip

Important: when using these methods, the parameters must be entered in the order defined in the wsdl, otherwise an "unmarshalling error" will be returned.

I. 2 Access

Delivery slip printing methods are accessible at the following address:

SOAP : <u>https://ws.colissimo.fr/sls-ws/SlsServiceWS/2.0?wsdl</u> REST : <u>https://ws.colissimo.fr/sls-ws/SlsServiceWSRest/2.0?</u> wadl

This service requires you to use your La Poste - Colissimo contract number and your password which you may receive by email when starting your contract or request from your usual La Poste - Colissimo sales contact. The login details also enable you to access your customer web account at https://www.colissimo.fr/entreprise

Please refer to the main technical document (Colissimo Franking Web Service specifications) for the following aspects:

- Coding of formats
- Coding of conditions
- Managing accented characters
- Format and processing of the response from the Web Service
- Error Codes

II. Printing using a list of parcel numbers: "generateBordereauByParcelsNumbers"

This method is used to generate a delivery slip using a list of parcel numbers.

II. 1 Input parameters

Field name	Mandatory	Description
ContractNumber	x	Account number.
Password	x	Password
generateBordereauParcelNumberList	x	List of parcel numbers

II. 2 Response

Field name	Description
BordereauResponse	
Delivery	Delivery slip subject
slip	
Deliver note description	
	Description
Field name	
	PDF file
bordereauDataHandler	
	Delivery slip information
bordereauHeader	
Description bordereauHeader	
Field name	Description
rieiù name	Description
bordereauNumber	Delivery slip number
publishingDate	Delivery slip publishing data

numberOfParcels	Number of parcels
codeSitePCH	Code of processing site
nameSitePCH	Name of processing site
clientNumber	Client number
Address	Shipping address
Company	Company name

II. 3 Examples

Example of a SOAP request

XML input request using the generateBordereauByParcelsNumbers method

• XML output response from the generateBordereauByParcelsNumbers method

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
   <soap:Body>
      <ns2:getBordereauByNumberResponse xmlns:ns2="http://sls.ws.coliposte.fr">
         <return>
            <messages>
               <id>0</id>
               <messageContent>La requête a été traitée avec
succès</messageContent>
               <type>INFOS</type>
            </messages>
            <bordereau>
               <bordereauDataHandler>
                  <xop:Include href="cid:868e1b08-45b6-477f-9c0f-0471dafd6bea-</pre>
220@cxf.apache.org" xmlns:xop="http://www.w3.org/2004/08/xop/include"/>
               </bordereauDataHandler>
               <bordereauHeader>
                  <address>17 AV BOUISSON FERNAND</address>
                  <bordereauNumber>31</bordereauNumber>
                  <clientNumber>100178</clientNumber>
                  <codeSitePCH>999999</codeSitePCH>
                  <company>NOM-100178</company>
                  <numberOfParcels>764</numberOfParcels>
```

Example of a REST request

XML input request using the generateBordereauByParcelsNumbers method

```
{
"contractNumber":"?",
"password":"?",
"generateBordereauParcelNumberList": {
    "parcelsNumbers": [
        "6A19660344355", "6A19662941699"
    ]
}
```

XML output response from the generateBordereauByParcelsNumbers method

```
<data contentType="multipart/mixed; boundary="uuid:715937ac-efdb-4ada-97ac-
3d5a87d21549";charset=UTF-8"
contentLength="326"><![CDATA[{"messages":[{"id":"50031","type":"ERROR","messageCon
tent":"Numéro de colis invalide 6A19660344355"}],"bordereauHeader":null}]]></data>
```

III. Re-printing using a delivery slip number: "getBordereauByNumber"

This method can be used to re-print using a delivery slip number.

III. 1 Input parameters

Field name	Mandatory	Description
ContractNumber	x	Account number.
Password	x	Password

bordereauNumber	x	Delivery slip number

III. 2 Response

Field name	Description
BordereauResponse	
Delivery	Delivery slip subject
slip	
Deliver note description	
Field name	Description
bordereauDataHandler	PDF file
	Delivery slip information
bordereauHeader	
Description bordereauHeader	
Description bordereauHeader	Description
Description bordereauHeader Field name	Description
Description bordereauHeader Field name bordereauNumber	Description Delivery slip number
Description bordereauHeaderField namebordereauNumberpublishingDate	Description Delivery slip number Delivery slip publishing data
Description bordereauHeaderField namebordereauNumberpublishingDatenumberOfParcels	Description Delivery slip number Delivery slip publishing data Number of parcels
Description bordereauHeaderField namebordereauNumberpublishingDatenumberOfParcelscodeSitePCH	DescriptionDelivery slip numberDelivery slip publishing dataNumber of parcelsCode of processing site
Description bordereauHeaderField namebordereauNumberpublishingDatenumberOfParcelscodeSitePCHnameSitePCH	DescriptionDelivery slip numberDelivery slip publishing dataNumber of parcelsCode of processing siteName of processing site
Description bordereauHeaderField namebordereauNumberpublishingDatenumberOfParcelscodeSitePCHnameSitePCHclientNumber	DescriptionDelivery slip numberDelivery slip publishing dataNumber of parcelsCode of processing siteName of processing siteClient number
Description bordereauHeaderField namebordereauNumberpublishingDatenumberOfParcelscodeSitePCHnameSitePCHclientNumberAddress	DescriptionDelivery slip numberDelivery slip publishing dataNumber of parcelsCode of processing siteName of processing siteClient numberShipping address

III. 3 Examples

 XML input request using the getBordereauByNumber method

 XML output response using the getBordereauByNumber method

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
   <soap:Body>
      <ns2:getBordereauxByDatesResponse xmlns:ns2="http://sls.ws.coliposte.fr">
         <return>
            <messages>
               <id>0</id>
               <messageContent>La requête a été traitée avec
succès</messageContent>
               <type>INFOS</type>
            </messages>
            <bordereaux>
               <bordereauDataHandler>
                  <xop:Include href="cid:868e1b08-45b6-477f-9c0f-0471dafd6bea-</pre>
200@cxf.apache.org" xmlns:xop="http://www.w3.org/2004/08/xop/include"/>
               </bordereauDataHandler>
               <bordereauHeader>
                  <address>17 AV BOUISSON FERNAND</address>
                  <bordereauNumber>29</bordereauNumber>
                  <clientNumber>100178</clientNumber>
                  <codeSitePCH>999999</codeSitePCH>
                  <company>NOM-100178</company>
                  <numberOfParcels>98</numberOfParcels>
                  <publishingDate>2016-07-15T13:52:24+02:00</publishingDate>
               </bordereauHeader>
            </bordereaux>
         </return>
      </ns2:getBordereauxByDatesResponse>
   </soap:Body>
</soap:Envelope>
```

IV. Description of the delivery slip

Presentation example:

SITE DE PRISE EN (LIBELLE SITE DE PR	CHARGE : XXX RISE EN CHAR	XXX GE : XXXXXXXXXXXX	BORDERE	AU DE REM	IISE Offre E	Entreprise	s Colissimo
N° CLIENT		:	XXXXXXX	DITE LE JJ/	MM/AAAA		
LIBELLE CLIENT	:	NOM CLIENT					
N° BORDEREAU	:	0000000001 DU .	JJ/MM/AAAA				
Réf. exped	Nom et Adre	sse destinataire	N° colis	CPOST	CPAYS	Poids (KG)	NM
COLISSIMO EXPER	T INTER - com	pte de facturation : >	XXXXXX				
XXXXXXXXXXXXXX	XXXXXXXXXX	000000000000000000000000000000000000000	XXXXXXXXXXXXXXXXX	XXXXX	IT	01.00	0
NOMBRE DE COLIS POIDS DES COLIS D NOMBRE TOTAL DE POID TOTAL DE CO	DE LA PAGE DE LA PAGE E COLIS LIS	: XX : XX : XX : XX : XX		SIG DAT * Cett des do	NATURE E te signatu	DE L'A re ne vau liquées p	GENT (*) ut pas validation ar le client
Nombre de page : 1							Page n°1

Detailed contents of the delivery slip :

Document title	"Colissimo Business Offer delivery slip"
Processing site:	Identification code (REGATE) of the processing site (6 numeric characters) → allocated to the customer
Processing site name:	Name of the processing site in plain text (40 alphabetic characters), provided by the sales contact person.
Note No.	Sequential delivery slip number (this number must be continuous) (10 numeric characters)

Date:	Note issue date: Note issue date (DD/MM/YYYY). La Poste - Colissimo considers this date to be the date on which the parcel is physically handed over Important: this date must match the actual date the parcel was dropped off at the traffic entry site.			
Customer No.	Customer identifier; 6-character Customer No. provided by La Poste - Colissimo			
Sender ref.:	Shipment identifier No. of the parcel in your own system (optional) [35 alphanumeric characters].			
Addressee's Name and Address:	The Name and Address of the end customer (optional).			
Parcel No.:	Full parcel number sorted in ascending order.			
POSTC	Post code			
CCODE	Country code			
Weight:	Weight of parcel in kg (< or = 30 kg).			
NM:	Fill in zone with "1" if the parcel is not machineable or with "0" if it is machineable			
Page parcel number	Total number of parcels listed on the page			
Weight of parcels listed on the page	Total weight of parcels listed on the page			
Total number of parcels	Total number of parcels listed on the delivery slip and handed over to La Poste - Colissimo.			
Total weight of parcels	Total weight of parcels listed on the delivery slip and handed over to La Poste - Colissimo.			
Number of pages	Total number of pages of the delivery slip			
RESERVED ZONE	Keep a zone clear for the La Poste - Colissimo agent's signature and Date Stamp.			
Page:	Current page No. out of total pages, or page No. with the term "last page" noted on the last page.			

V. Contact

